


鎢鋼鑽頭識別系統

Carbide Drill Identification System

MEC20600S03D4



1 材質 Grade

記號 Symbol	材質 Grade
E	E300
G	G300
H	H300
M	M500
P	P500
W	W500
SM	SM600
SW	SW600
SP	SP600

2 尖端角 Point Angle

記號 Symbol	尖端角 Point Angle
A	118°
B	120°
C	130°
D	135°
E	140°
F	142°
G	145°
H	150°
I	180°

5 切削直徑 Cutting Diameter

說明 Explanation
ex : 0220 : 2.2mm 2225 : 22.25mm

7 加工倍數 Processing Multiple

加工深度倍數 Processing Depth Multiple	說明 Explanation
02、03、04、05、08	
深孔倍數 Deep Hole Multiple	說明 Explanation
10、12、15、20、25、30	

6 刀尖形狀 Drill Tip Shapes

記號 Symbol	說明 Explanation
S型	一般通用 General
X型	深孔及較硬材用 For Deep Holes And Harder Materials
XS型	深孔用 For Deep Holes

8 其他 Other

記號 Symbol	說明 Explanation	記號 Symbol	說明 Explanation
A	同柄徑(小數點) Decimal Point of Shank (Same Shank)	TXX	錐度 Taper
DXX	特殊柄徑 Special Shank Diameter	LIXXX	特殊刃長 Special Flute Length

規格圖標指南

Specification Icon Guide

圖標 Icon	說明 Explanation	圖標 Icon	說明 Explanation
MG	超微粒子超硬合金 Micro Grain Carbide	Altin TiSin	Altin 鎢鈦氮塗層 TiSin 鈦鈦塗層
CO 10% CO 12%	含鈷量 Cobalt Content	E 300 G 300 H 300	材質 Grade
HRC <55 HRC <60	可被切削材硬度 Hardness Of Workpiece	M 500 P 500 W 500	
h8	刃徑公差 Tolerance Of Diameter	SM 600 SW 600 SP 600	
DIN 6537	符合DIN6537規範 Conform To DIN6537 Specifications	2D 3D 5D	加工深度倍數 Processing Depth Multiple

ME 20 系列 鎢鋼鑽頭 Carbide Drill

圓棒採用含鈷量12%超微粒硬質合金，全新Al-TiN鍍鈦塗層泛用性廣，可適用：合金鋼、不鏽鋼、鑄鐵等材質加工。
The Carbide rod is made of a high-performance alloy with a cobalt content of 12% and ultrafine particles, along with gold, and features a new Al-TiN titanium coating. It has wide applicability and can be used for materials such as alloy steel, stainless steel, and cast iron.



鑽尖結構優化設計，提升切削排屑性能。
Optimized design of drill tip structure to improve cutting performance.



獨特雙刀帶設計，提升加工穩定性
延長加工使用時間。
Unique double-edged belt design improves processing stability and prolongs processing time.

適用材質 Material
合金鋼 Alloy Steel **不鏽鋼 Stainless steel** **鑄鐵 Cast Iron**

高剛性、耐磨耗、耐高溫
High rigidity, Wear resistance, High temperature resistance




尺寸齊全
歡迎詢問

Welcome to inquiry,
a complete range of specifications are in stock

採用全新進口五軸刀具研磨機生產，研磨尺寸精準且穩定
Produced by a brand-new imported five-axis cutter grinder with precise and stable grinding size.

切削刀具

ME20 鎢鋼鑽頭
Carbide Drill



產品型號 Model No	在庫 Stock	切削直徑 DC	排屑槽長度 LCF	頂端至肩部尺寸差 PL	柄部直徑 DCON	可使用長度 LU	刀柄長度 LS	全長 OAL	價格 Price
ME20150S05	●	1.5	12	0.3	4	9	28	58	
ME20160S03	●	1.6	9	0.3	4	6	28	58	
ME20180S03	●	1.8	9	0.3	4	6	28	58	
ME20200S03	●	2	13	0.4	4	9	28	58	
ME20200S05	●	2	18	0.4	4	14	28	58	
ME20210S03	●	2.1	13	0.4	4	9	28	58	
ME20210S05	●	2.1	18	0.4	4	14	28	58	
ME20214S03	●	2.14	13	0.4	4	9	28	58	
ME20218S03	●	2.18	13	0.4	4	9	28	58	
ME20220S03	●	2.2	13	0.4	4	9	28	58	
ME20220S05	●	2.2	18	0.4	4	14	28	58	
ME20225S03	●	2.25	13	0.4	4	9	28	58	
ME20230S03	●	2.3	13	0.4	4	9	28	58	
ME20230S05	●	2.3	18	0.4	4	14	28	58	
ME20240S03	●	2.4	17	0.4	4	12	28	58	
ME20240S05	●	2.4	22	0.4	4	17	28	58	
ME20245S03	●	2.45	17	0.4	4	12	28	58	
ME20245S05	●	2.45	22	0.4	4	17	28	58	
ME20250S03	●	2.5	17	0.5	4	12	28	58	
ME20250S05	●	2.5	22	0.5	4	17	28	58	
ME20255S03	●	2.55	17	0.5	4	12	28	58	
ME20260S03	●	2.6	17	0.5	4	12	28	58	
ME20260S05	●	2.6	22	0.5	4	17	28	58	
ME20270S03	●	2.7	17	0.5	4	12	28	58	
ME20270S05	●	2.7	22	0.5	4	17	28	58	
ME20280S03	●	2.8	17	0.5	4	12	28	58	
ME20280S05	●	2.8	22	0.5	4	17	28	58	
ME20290S03	●	2.9	17	0.5	4	12	28	58	
ME20290S05	●	2.9	22	0.5	4	17	28	58	
ME20300S03D4	●	3	20	0.5	4	14	36	62	
ME20300S03	●	3	20	0.5	6	14	36	62	
ME20300S05D4	●	3	28	0.5	4	23	36	66	
ME20300S05	●	3	28	0.5	6	23	36	66	


※ 請接下頁。 ※ Continued on next page.

產品型號 Model No	在庫 Stock	切削直徑 DC	排屑槽長度 LCF	頂端至肩部尺寸差 PL	柄部直徑 DCON	可使用長度 LU	刀柄長度 LS	全長 OAL	價格 Price
ME20310S03D4	●	3.1	20	0.6	4	14	36	62	
ME20310S03		3.1	20	0.6	6	14	36	62	
ME20310S05D4	●	3.1	28	0.6	4	23	36	66	
ME20310S05	●	3.1	28	0.6	6	23	36	66	
ME20320S03D4	●	3.2	20	0.6	4	14	36	62	
ME20320S03	●	3.2	20	0.6	6	14	36	62	
ME20320S05D4	●	3.2	28	0.6	4	23	36	66	
ME20320S05	●	3.2	28	0.6	6	23	36	66	
ME20325S03D4		3.25	20	0.6	4	14	36	62	
ME20325S03	●	3.25	20	0.6	6	14	36	62	
ME20330S03D4	●	3.3	20	0.6	4	14	36	62	
ME20330S03		3.3	20	0.6	6	14	36	62	
ME20330S05D4	●	3.3	28	0.6	4	23	36	66	
ME20330S05	●	3.3	28	0.6	6	23	36	66	
ME20340S03D4	●	3.4	20	0.6	4	14	36	62	
ME20340S03	●	3.4	20	0.6	6	14	36	62	
ME20340S05D4	●	3.4	28	0.6	4	23	36	66	
ME20340S05	●	3.4	28	0.6	6	23	36	66	
ME20350S03D4	●	3.5	20	0.6	4	14	36	62	
ME20350S03	●	3.5	20	0.6	6	14	36	62	
ME20350S05D4	●	3.5	28	0.6	4	23	36	66	
ME20350S05	●	3.5	28	0.6	6	23	36	66	
ME20355S03	●	3.55	20	0.6	6	14	36	62	
ME20355S03D4	●	3.55	20	0.6	4	14	36	62	
ME20360S03D4	●	3.6	20	0.7	4	14	36	62	
ME20360S03		3.6	20	0.7	6	14	36	62	
ME20360S05D4	●	3.6	28	0.7	4	23	36	66	
ME20360S05		3.6	28	0.7	6	23	36	66	
ME20365S03	●	3.65	20	0.7	6	14	36	62	
ME20370S03D4	●	3.7	20	0.7	4	14	36	62	
ME20370S03		3.7	20	0.7	6	14	36	62	
ME20370S05D4	●	3.7	28	0.7	4	23	36	66	
ME20370S05	●	3.7	28	0.7	6	23	36	66	
ME20380S03D4	●	3.8	24	0.7	4	17	36	66	
ME20380S03	●	3.8	24	0.7	6	17	36	66	
ME20380S05D4		3.8	36	0.7	4	29	36	74	
ME20380S05		3.8	36	0.7	6	29	36	74	
ME20390S03D4	●	3.9	24	0.7	4	17	36	66	
ME20390S03	●	3.9	24	0.7	6	17	36	66	
ME20390S05D4	●	3.9	36	0.7	4	29	36	74	
ME20390S05	●	3.9	36	0.7	6	29	36	74	
ME20400S03D4	●	4	24	0.7	4	17	36	66	

※ 請接下頁。 ※ Continued on next page.

切削刀具

ME20 錫鋼鑽頭
Carbide Drill



產品型號 Model No	在庫 Stock	切削直徑 DC	排屑槽長度 LCF	頂端至肩部尺寸差 PL	柄部直徑 DCON	可使用長度 LU	刀柄長度 LS	全長 OAL	價格 Price
ME20400S03	●	4	24	0.7	6	17	36	66	
ME20400S05D4		4	36	0.7	4	29	36	74	
ME20400S05	●	4	36	0.7	6	29	36	74	
ME20410S03	●	4.1	24	0.7	6	17	36	66	
ME20410S05	●	4.1	36	0.7	6	29	36	74	
ME20420S03	●	4.2	24	0.8	6	17	36	66	
ME20420S05	●	4.2	36	0.8	6	29	36	74	
ME20430S03	●	4.3	24	0.8	6	17	36	66	
ME20430S05	●	4.3	36	0.8	6	29	36	74	
ME20440S03	●	4.4	24	0.8	6	17	36	66	
ME20440S05	●	4.4	36	0.8	6	29	36	74	
ME20450S03	●	4.5	24	0.8	6	17	36	66	
ME20450S05	●	4.5	36	0.8	6	29	36	74	
ME20455S03	●	4.55	24	0.8	6	17	36	66	
ME20455S05	●	4.55	36	0.8	6	29	36	74	
ME20460S03	●	4.6	24	0.8	6	17	36	66	
ME20460S05	●	4.6	36	0.8	6	29	36	74	
ME20470S03	●	4.7	24	0.9	6	17	36	66	
ME20470S05	●	4.7	36	0.9	6	29	36	74	
ME20480S03	●	4.8	28	0.9	6	20	36	66	
ME20480S05	●	4.8	44	0.9	6	35	36	82	
ME20490S03	●	4.9	28	0.9	6	20	36	66	
ME20490S05	●	4.9	44	0.9	6	35	36	82	
ME20500S03	●	5	28	0.9	6	20	36	66	
ME20500S05	●	5	44	0.9	6	35	36	82	
ME20510S03	●	5.1	28	0.9	6	20	36	66	
ME20510S05	●	5.1	44	0.9	6	35	36	82	
ME20520S03	●	5.2	28	0.9	6	20	36	66	
ME20520S05	●	5.2	44	0.9	6	35	36	82	
ME20530S03	●	5.3	28	1	6	20	36	66	
ME20530S05	●	5.3	44	1	6	35	36	82	
ME20540S03	●	5.4	28	1	6	20	36	66	
ME20540S05	●	5.4	44	1	6	35	36	82	


※ 請接下頁。 ※ Continued on next page.

產品型號 Model No	在庫 Stock	切削直徑 DC	排屑槽長度 LCF	頂端至肩部尺寸差 PL	柄部直徑 DCON	可使用長度 LU	刀柄長度 LS	全長 OAL	價格 Price
ME20550S03	●	5.5	28	1	6	20	36	66	
ME20550S05	●	5.5	44	1	6	35	36	82	
ME20560S03	●	5.6	28	1	6	20	36	66	
ME20560S05	●	5.6	44	1	6	35	36	82	
ME20570S03	●	5.7	28	1	6	20	36	66	
ME20570S05	●	5.7	44	1	6	35	36	82	
ME20580S03	●	5.8	28	1.1	6	20	36	66	
ME20580S05	●	5.8	44	1.1	6	35	36	82	
ME20590S03	●	5.9	28	1.1	6	20	36	66	
ME20590S05	●	5.9	44	1.1	6	35	36	82	
ME20600S03	●	6	28	1.1	6	20	36	66	
ME20600S05	●	6	44	1.1	6	35	36	82	
ME20610S03	●	6.1	34	1.1	8	24	36	79	
ME20610S05	●	6.1	53	1.1	8	43	36	91	
ME20620S03	●	6.2	34	1.1	8	24	36	79	
ME20620S05	●	6.2	53	1.1	8	43	36	91	
ME20630S03	●	6.3	34	1.1	8	24	36	79	
ME20630S05	●	6.3	53	1.1	8	43	36	91	
ME20640S03	●	6.4	34	1.2	8	24	36	79	
ME20640S05	●	6.4	53	1.2	8	43	36	91	
ME20650S03	●	6.5	34	1.2	8	24	36	79	
ME20650S05	●	6.5	53	1.2	8	43	36	91	
ME20660S03	●	6.6	34	1.2	8	24	36	79	
ME20660S05	●	6.6	53	1.2	8	43	36	91	
ME20670S03	●	6.7	34	1.2	8	24	36	79	
ME20670S05	●	6.7	53	1.2	8	43	36	91	
ME20680S03	●	6.8	34	1.2	8	24	36	79	
ME20680S05	●	6.8	53	1.2	8	43	36	91	
ME20690S03	●	6.9	34	1.3	8	24	36	79	
ME20690S05	●	6.9	53	1.3	8	43	36	91	
ME20700S03	●	7	34	1.3	8	24	36	79	
ME20700S05	●	7	53	1.3	8	43	36	91	
ME20710S03	●	7.1	41	1.3	8	29	36	79	
ME20710S05	●	7.1	53	1.3	8	43	36	91	
ME20720S03	●	7.2	41	1.3	8	29	36	79	
ME20720S05	●	7.2	53	1.3	8	43	36	91	
ME20730S03	●	7.3	41	1.3	8	29	36	79	
ME20730S05	●	7.3	53	1.3	8	43	36	91	
ME20740S03	●	7.4	41	1.3	8	29	36	79	
ME20740S05	●	7.4	53	1.3	8	43	36	91	
ME20750S03	●	7.5	41	1.4	8	29	36	79	
ME20750S05	●	7.5	53	1.4	8	43	36	91	

※ 請接下頁。 ※ Continued on next page.

切削刀具

ME20 鎢鋼鑽頭
Carbide Drill



產品型號 Model No	在庫 Stock	切削直徑 DC	排屑槽長度 LCF	頂端至肩部尺寸差 PL	柄部直徑 DCON	可使用長度 LU	刀柄長度 LS	全長 OAL	價格 Price
ME20760S03		7.6	41	1.4	8	29	36	79	
ME20760S05	●	7.6	53	1.4	8	43	36	91	
ME20770S03	●	7.7	41	1.4	8	29	36	79	
ME20770S05	●	7.7	53	1.4	8	43	36	91	
ME20780S03	●	7.8	41	1.4	8	29	36	79	
ME20780S05	●	7.8	53	1.4	8	43	36	91	
ME20790S03	●	7.9	41	1.4	8	29	36	79	
ME20790S05	●	7.9	53	1.4	8	43	36	91	
ME20800S03	●	8	41	1.5	8	29	36	79	
ME20800S05	●	8	53	1.5	8	43	36	91	
ME20810S03	●	8.1	47	1.5	10	35	40	89	
ME20810S05	●	8.1	61	1.5	10	49	40	103	
ME20820S03	●	8.2	47	1.5	10	35	40	89	
ME20820S05	●	8.2	61	1.5	10	49	40	103	
ME20830S03	●	8.3	47	1.5	10	35	40	89	
ME20830S05	●	8.3	61	1.5	10	49	40	103	
ME20840S03	●	8.4	47	1.5	10	35	40	89	
ME20840S05	●	8.4	61	1.5	10	49	40	103	
ME20850S03	●	8.5	47	1.5	10	35	40	89	
ME20850S05	●	8.5	61	1.5	10	49	40	103	
ME20860S03	●	8.6	47	1.6	10	35	40	89	
ME20860S05	●	8.6	61	1.6	10	49	40	103	
ME20870S03	●	8.7	47	1.6	10	35	40	89	
ME20870S05	●	8.7	61	1.6	10	49	40	103	
ME20880S03	●	8.8	47	1.6	10	35	40	89	
ME20880S05	●	8.8	61	1.6	10	49	40	103	
ME20890S03	●	8.9	47	1.6	10	35	40	89	
ME20890S05	●	8.9	61	1.6	10	49	40	103	
ME20900S03	●	9	47	1.6	10	35	40	89	
ME20900S05	●	9	61	1.6	10	49	40	103	
ME20910S03	●	9.1	47	1.7	10	35	40	89	
ME20910S05	●	9.1	61	1.7	10	49	40	103	
ME20920S03	●	9.2	47	1.7	10	35	40	89	


※ 請接下頁。 ※ Continued on next page.

產品型號 Model No	在庫 Stock	切削直徑 DC	排屑槽長度 LCF	頂端至肩部尺寸差 PL	柄部直徑 DCON	可使用長度 LU	刀柄長度 LS	全長 OAL	價格 Price
ME20920S05	●	9.2	61	1.7	10	49	40	103	
ME20930S03	●	9.3	47	1.7	10	35	40	89	
ME20930S05	●	9.3	61	1.7	10	49	40	103	
ME20940S03	●	9.4	47	1.7	10	35	40	89	
ME20940S05	●	9.4	61	1.7	10	49	40	103	
ME20950S03	●	9.5	47	1.7	10	35	40	89	
ME20950S05	●	9.5	61	1.7	10	49	40	103	
ME20960S03	●	9.6	47	1.7	10	35	40	89	
ME20960S05	●	9.6	61	1.7	10	49	40	103	
ME20970S03	●	9.7	47	1.8	10	35	40	89	
ME20970S05	●	9.7	61	1.8	10	49	40	103	
ME20980S03	●	9.8	47	1.8	10	35	40	89	
ME20980S05	●	9.8	61	1.8	10	49	40	103	
ME20990S03	●	9.9	47	1.8	10	35	40	89	
ME20990S05	●	9.9	61	1.8	10	49	40	103	
ME21000S03	●	10	47	1.8	10	35	40	89	
ME21000S05	●	10	61	1.8	10	49	40	103	
ME21010S03	●	10.1	55	1.8	12	40	45	102	
ME21010S05	●	10.1	71	1.8	12	56	45	118	
ME21020S03	●	10.2	55	1.9	12	40	45	102	
ME21020S05	●	10.2	71	1.9	12	56	45	118	
ME21030S03	●	10.3	55	1.9	12	40	45	102	
ME21030S05	●	10.3	71	1.9	12	56	45	118	
ME21040S03	●	10.4	55	1.9	12	40	45	102	
ME21040S05	●	10.4	71	1.9	12	56	45	118	
ME21050S03	●	10.5	55	1.9	12	40	45	102	
ME21050S05	●	10.5	71	1.9	12	56	45	118	
ME21060S03	●	10.6	55	1.9	12	40	45	102	
ME21060S05	●	10.6	71	1.9	12	56	45	118	
ME21070S03		10.7	55	1.9	12	40	45	102	
ME21070S05	●	10.7	71	1.9	12	56	45	118	
ME21080S03	●	10.8	55	2	12	40	45	102	
ME21080S05	●	10.8	71	2	12	56	45	118	
ME21090S03	●	10.9	55	2	12	40	45	102	
ME21090S05	●	10.9	71	2	12	56	45	118	
ME21100S03	●	11	55	2	12	40	45	102	
ME21100S05	●	11	71	2	12	56	45	118	
ME21110S03	●	11.1	55	2	12	40	45	102	
ME21110S05	●	11.1	71	2	12	56	45	118	
ME21120S03	●	11.2	55	2	12	40	45	102	
ME21120S05	●	11.2	71	2	12	56	45	118	
ME21130S03	●	11.3	55	2.1	12	40	45	102	

※ 請接下頁。 ※ Continued on next page.

切削刀具

ME20 鎢鋼鑽頭
Carbide Drill




產品型號 Model No	在庫 Stock	切削直徑 DC	排屑槽長度 LCF	頂端至肩部尺寸差 PL	柄部直徑 DCON	可使用長度 LU	刀柄長度 LS	全長 OAL	價格 Price
ME21130S05	●	11.3	71	2.1	12	56	45	118	
ME21140S03	●	11.4	55	2.1	12	40	45	102	
ME21140S05	●	11.4	71	2.1	12	56	45	118	
ME21150S03	●	11.5	55	2.1	12	40	45	102	
ME21150S05	●	11.5	71	2.1	12	56	45	118	
ME21160S03		11.6	55	2.1	12	40	45	102	
ME21160S05	●	11.6	71	2.1	12	56	45	118	
ME21170S03	●	11.7	55	2.1	12	40	45	102	
ME21170S05	●	11.7	71	2.1	12	56	45	118	
ME21180S03	●	11.8	55	2.1	12	40	45	102	
ME21180S05	●	11.8	71	2.1	12	56	45	118	
ME21190S03	●	11.9	55	2.2	12	40	45	102	
ME21190S05	●	11.9	71	2.2	12	56	45	118	
ME21200S03	●	12	55	2.2	12	40	45	102	
ME21200S05	●	12	71	2.2	12	56	45	118	
ME21210S03	●	12.1	60	2.2	14	43	45	107	
ME21210S05		12.1	77	2.2	14	60	45	124	
ME21220S03	●	12.2	60	2.2	14	43	45	107	
ME21220S05		12.2	77	2.2	14	60	45	124	
ME21230S03		12.3	60	2.2	14	43	45	107	
ME21230S05		12.3	77	2.2	14	60	45	124	
ME21250S03	●	12.5	60	2.3	14	43	45	107	
ME21250S05	●	12.5	77	2.3	14	60	45	124	
ME21260S05	●	12.6	77	2.3	14	60	45	124	
ME21270S03	●	12.7	60	2.3	14	43	45	107	
ME21270S05		12.7	77	2.3	14	60	45	124	
ME21280S03	●	12.8	60	2.3	14	43	45	107	
ME21280S05		12.8	77	2.3	14	60	45	124	
ME21290S03	●	12.9	60	2.3	14	43	45	107	
ME21290S05		12.9	77	2.3	14	60	45	124	
ME21300S03	●	13	60	2.4	14	43	45	107	
ME21300S05	●	13	77	2.4	14	60	45	124	
ME21310S03	●	13.1	60	2.4	14	43	45	107	

※ 請接下一頁。 ※ Continued on next page.

產品型號 Model No	在庫 Stock	切削直徑 DC	排屑槽長度 LCF	頂端至肩部尺寸差 PL	柄部直徑 DCON	可使用長度 LU	刀柄長度 LS	全長 OAL	價格 Price
ME21310S05		13.1	77	2.4	14	60	45	124	
ME21350S03	●	13.5	60	2.5	14	43	45	107	
ME21350S05	●	13.5	77	2.5	14	60	45	124	
ME21380S03		13.8	60	2.5	14	43	45	107	
ME21380S05		13.8	77	2.5	14	60	45	124	
ME21400S03	●	14	60	2.5	14	43	45	107	
ME21400S05		14	77	2.5	14	60	45	124	
ME21430S03		14.3	65	2.6	16	45	48	115	
ME21430S05		14.3	83	2.6	16	63	48	133	
ME21450S03	●	14.5	65	2.6	16	45	48	115	
ME21450S05	●	14.5	83	2.6	16	63	48	133	
ME21480S03		14.8	65	2.7	16	45	48	115	
ME21480S05		14.8	83	2.7	16	63	48	133	
ME21500S03	●	15	65	2.7	16	45	48	115	
ME21500S05	●	15	83	2.7	16	63	48	133	
ME21510S03		15.1	65	2.7	16	45	48	115	
ME21510S05		15.1	83	2.7	16	63	48	133	
ME21550S03	●	15.5	65	2.8	16	45	48	115	
ME21550S05		15.5	83	2.8	16	63	48	133	
ME21580S03		15.8	65	2.9	16	45	48	115	
ME21580S05		15.8	83	2.9	16	63	48	133	
ME21600S03	●	16	65	2.9	16	45	48	115	
ME21600S05	●	16	83	2.9	16	63	48	133	
ME21650S03		16.5	73	3	18	51	48	123	
ME21650S05		16.5	93	3	18	71	48	143	
ME21680S03		16.8	73	3.1	18	51	48	123	
ME21680S05		16.8	93	3.1	18	71	48	143	
ME21700S03		17	73	3.1	18	51	48	123	
ME21700S05		17	93	3.1	18	71	48	143	
ME21750S03		17.5	73	3.2	18	51	48	123	
ME21750S05		17.5	93	3.2	18	71	48	143	
ME21780S03		17.8	73	3.2	18	51	48	123	
ME21780S05		17.8	93	3.2	18	71	48	143	
ME21790S03		17.9	73	3.3	18	51	48	123	
ME21790S05		17.9	93	3.3	18	71	48	143	
ME21800S03		18	73	3.3	18	51	48	123	
ME21800S05		18	93	3.3	18	71	48	143	
ME21830S03		18.3	79	3.3	20	55	50	131	
ME21830S05		18.3	101	3.3	20	77	50	153	
ME21850S03		18.5	79	3.4	20	55	50	131	
ME21850S05		18.5	101	3.4	20	77	50	153	
ME21880S03		18.8	79	3.4	20	55	50	131	

※ 請接下一頁。 ※ Continued on next page.

ME20 鎢鋼鑽頭
Carbide Drill

產品型號 Model No	在庫 Stock	切削直徑 DC	排屑槽長度 LCF	頂端至肩部尺寸差 PL	柄部直徑 DCON	可使用長度 LU	刀柄長度 LS	全長 OAL	價格 Price
ME21880S05		18.8	101	3.4	20	77	50	153	
ME21900S03		19	79	3.5	20	55	50	131	
ME21900S05		19	101	3.5	20	77	50	153	
ME21950S03		19.5	79	3.5	20	55	50	131	
ME21950S05		19.5	101	3.5	20	77	50	153	
ME21980S03		19.8	79	3.6	20	55	50	131	
ME21980S05		19.8	101	3.6	20	77	50	153	
ME22000S03	●	20	79	3.6	20	55	50	131	
ME22000S05	●	20	101	3.6	20	77	50	153	

SPE 20系列
鎢鋼鑽頭
Carbide Drill

夾角140°設計 140 Angle Design

鑽尖結構優化設計，擁有低抗阻能力

大幅提升切削排屑性能

Drill tip structure design is optimized, which has low resistance performance. Which greatly improves cutting and chip removal performance.

尺寸齊全 歡迎詢問

Welcome to inquiry, a complete range of specifications are in stock



特殊材質 Material

合金鋼
Alloy Steel

碳鋼
Carbon Steel

不鏽鋼
Stainless steel

專用

獨特雙刀帶設計，提升加工穩定性，延長加工使用時間。


Unique double-edged belt design improves processing stability and prolongs processing time.

全新SP600塗層 New SP600 Coating


高剛性、耐磨耗材質、抗崩損、耐高溫，抗震性絕佳
High rigidity wear resistance, chipping resistance, high temperature resistance, and excellent earthquake resistance.

以進口頂級高精度多軸磨刀機研磨生產，尺寸精準且穩定

Grinding and production using imported top-grade high-precision multi-axis knife grinders, the dimensions are accurate and stable.



SPE20 鎢鋼鑽頭
Carbide Drill



新規格上市
New Specification Arrival


產品型號 Model No	在庫 Stock	切削直徑 DC	排屑槽長度 LCF	頂端至肩部尺寸差 PL	柄部直徑 DCON	可使用長度 LU	刀柄長度 LS	全長 OAL	價格 Price
SPE20115S03	●	1.15	7	0.2	4	5	28	58	
SPE20117S03	●	1.17	7	0.2	4	5	28	58	
SPE20125S03	●	1.25	7	0.2	4	5	28	58	
SPE20126S03	●	1.26	7	0.2	4	5	28	58	
SPE20145S03	●	1.45	9	0.3	4	6	28	58	
SPE20147S03		1.47	9	0.3	4	6	28	58	
SPE20150S05	●	1.5	12	0.3	4	9	28	58	
SPE20160S03		1.6	9	0.3	4	6	28	58	
SPE20180S03		1.8	9	0.3	4	6	28	58	
SPE20200S03		2	13	0.4	4	9	28	58	
SPE20200S05		2	18	0.4	4	14	28	58	
SPE20210S03		2.1	13	0.4	4	9	28	58	
SPE20210S05		2.1	18	0.4	4	14	28	58	
SPE20220S03		2.2	13	0.4	4	9	28	58	
SPE20220S05		2.2	18	0.4	4	14	28	58	
SPE20230S03	●	2.3	13	0.4	4	9	28	58	
SPE20230S05	●	2.3	18	0.4	4	14	28	58	
SPE20238S03		2.38	17	0.4	4	12	28	58	
SPE20240S03		2.4	17	0.4	4	12	28	58	
SPE20240S05		2.4	22	0.4	4	17	28	58	
SPE20250S03		2.5	17	0.5	4	12	28	58	
SPE20250S05		2.5	22	0.5	4	17	28	58	
SPE20260S03		2.6	17	0.5	4	12	28	58	
SPE20260S05	●	2.6	22	0.5	4	17	28	58	
SPE20270S03		2.7	17	0.5	4	12	28	58	
SPE20270S05		2.7	22	0.5	4	17	28	58	
SPE20278S03		2.78	17	0.5	4	12	28	58	
SPE20280S03		2.8	17	0.5	4	12	28	58	
SPE20280S05		2.8	22	0.5	4	17	28	58	
SPE20290S03		2.9	17	0.5	4	12	28	58	
SPE20290S05		2.9	22	0.5	4	17	28	58	
SPE20300S03D4		3	20	0.5	4	14	36	62	
SPE20300S03		3	20	0.5	6	14	36	62	

※ 請接下頁。 ※ Continued on next page.

產品型號 Model No	在庫 Stock	切削直徑 DC	排屑槽長度 LCF	頂端至肩部尺寸差 PL	柄部直徑 DCON	可使用長度 LU	刀柄長度 LS	全長 OAL	價格 Price
SPE20300S05D4		3	28	0.5	4	23	36	66	
SPE20300S05		3	28	0.5	6	23	36	66	
SPE20310S03D4		3.1	20	0.6	4	14	36	62	
SPE20310S03		3.1	20	0.6	6	14	36	62	
SPE20310S05D4		3.1	28	0.6	4	23	36	66	
SPE20310S05		3.1	28	0.6	6	23	36	66	
SPE20320S03D4		3.2	20	0.6	4	14	36	62	
SPE20320S03		3.2	20	0.6	6	14	36	62	
SPE20320S05D4		3.2	28	0.6	4	23	36	66	
SPE20320S05		3.2	28	0.6	6	23	36	66	
SPE20330S03D4		3.3	20	0.6	4	14	36	62	
SPE20330S03		3.3	20	0.6	6	14	36	62	
SPE20330S05D4		3.3	28	0.6	4	23	36	66	
SPE20330S05		3.3	28	0.6	6	23	36	66	
SPE20340S03D4		3.4	20	0.6	4	14	36	62	
SPE20340S03		3.4	20	0.6	6	14	36	62	
SPE20340S05D4		3.4	28	0.6	4	23	36	66	
SPE20340S05		3.4	28	0.6	6	23	36	66	
SPE20350S03D4		3.5	20	0.6	4	14	36	62	
SPE20350S03		3.5	20	0.6	6	14	36	62	
SPE20350S05D4		3.5	28	0.6	4	23	36	66	
SPE20350S05		3.5	28	0.6	6	23	36	66	
SPE20360S03D4		3.6	20	0.7	4	14	36	62	
SPE20360S03		3.6	20	0.7	6	14	36	62	
SPE20360S05D4		3.6	28	0.7	4	23	36	66	
SPE20360S05		3.6	28	0.7	6	23	36	66	
SPE20368S03	●	3.68	20	0.7	6	14	36	62	
SPE20370S03	●	3.7	20	0.7	6	14	36	62	
SPE20370S03D4	●	3.7	20	0.7	4	14	36	62	
SPE20370S05D4		3.7	28	0.7	4	23	36	66	
SPE20370S05		3.7	28	0.7	6	23	36	66	
SPE20380S03D4		3.8	24	0.7	4	17	36	66	
SPE20380S03		3.8	24	0.7	6	17	36	66	
SPE20380S05D4		3.8	36	0.7	4	29	36	74	
SPE20380S05		3.8	36	0.7	6	29	36	74	
SPE20390S03D4		3.9	24	0.7	4	17	36	66	
SPE20390S03		3.9	24	0.7	6	17	36	66	
SPE20390S05D4		3.9	36	0.7	4	29	36	74	
SPE20390S05		3.9	36	0.7	6	29	36	74	
SPE20400S03D4		4	24	0.7	4	17	36	66	
SPE20400S03		4	24	0.7	6	17	36	66	
SPE20400S05D4		4	36	0.7	4	29	36	74	

※ 請接下頁。 ※ Continued on next page.

SPE20 鎢鋼鑽頭
Carbide Drill



新規格上市
New Specification Arrival


產品型號 Model No	在庫 Stock	切削直徑 DC	排屑槽長度 LCF	頂端至肩部尺寸差 PL	柄部直徑 DCON	可使用長度 LU	刀柄長度 LS	全長 OAL	價格 Price
SPE20400S05		4	36	0.7	6	29	36	74	
SPE20410S03		4.1	24	0.7	6	17	36	66	
SPE20410S05		4.1	36	0.7	6	29	36	74	
SPE20420S03		4.2	24	0.8	6	17	36	66	
SPE20420S05		4.2	36	0.8	6	29	36	74	
SPE20430S03		4.3	24	0.8	6	17	36	66	
SPE20430S05		4.3	36	0.8	6	29	36	74	
SPE20440S03		4.4	24	0.8	6	17	36	66	
SPE20440S05		4.4	36	0.8	6	29	36	74	
SPE20450S03		4.5	24	0.8	6	17	36	66	
SPE20450S05	●	4.5	36	0.8	6	29	36	74	
SPE20460S03		4.6	24	0.8	6	17	36	66	
SPE20460S05		4.6	36	0.8	6	29	36	74	
SPE20465S03	●	4.65	24	0.9	6	17	36	66	
SPE20470S03		4.7	24	0.9	6	17	36	66	
SPE20470S05		4.7	36	0.9	6	29	36	74	
SPE20480S03		4.8	28	0.9	6	20	36	66	
SPE20480S05		4.8	44	0.9	6	35	36	82	
SPE20490S03		4.9	28	0.9	6	20	36	66	
SPE20490S05		4.9	44	0.9	6	35	36	82	
SPE20500S03		5	28	0.9	6	20	36	66	
SPE20500S05		5	44	0.9	6	35	36	82	
SPE20505S03	●	5.05	28	0.9	6	20	36	66	
SPE20510S03		5.1	28	0.9	6	20	36	66	
SPE20510S05		5.1	44	0.9	6	35	36	82	
SPE20520S03		5.2	28	0.9	6	20	36	66	
SPE20520S05		5.2	44	0.9	6	35	36	82	
SPE20530S03		5.3	28	1	6	20	36	66	
SPE20530S05		5.3	44	1	6	35	36	82	
SPE20540S03		5.4	28	1	6	20	36	66	
SPE20540S05		5.4	44	1	6	35	36	82	
SPE20550S03		5.5	28	1	6	20	36	66	
SPE20550S05		5.5	44	1	6	35	36	82	

※ 請接下頁。 ※ Continued on next page.

產品型號 Model No	在庫 Stock	切削直徑 DC	排屑槽長度 LCF	頂端至肩部尺寸差 PL	柄部直徑 DCON	可使用長度 LU	刀柄長度 LS	全長 OAL	價格 Price
SPE20560S03		5.6	28	1	6	20	36	66	
SPE20560S05		5.6	44	1	6	35	36	82	
SPE20570S03		5.7	28	1	6	20	36	66	
SPE20570S05		5.7	44	1	6	35	36	82	
SPE20580S03		5.8	28	1.1	6	20	36	66	
SPE20580S05		5.8	44	1.1	6	35	36	82	
SPE20590S03		5.9	28	1.1	6	20	36	66	
SPE20590S05		5.9	44	1.1	6	35	36	82	
SPE20600S03		6	28	1.1	6	20	36	66	
SPE20600S05		6	44	1.1	6	35	36	82	
SPE20610S03		6.1	34	1.1	8	24	36	79	
SPE20610S05		6.1	53	1.1	8	43	36	91	
SPE20620S03		6.2	34	1.1	8	24	36	79	
SPE20620S05		6.2	53	1.1	8	43	36	91	
SPE20630S03		6.3	34	1.1	8	24	36	79	
SPE20630S05		6.3	53	1.1	8	43	36	91	
SPE20640S03		6.4	34	1.2	8	24	36	79	
SPE20640S05		6.4	53	1.2	8	43	36	91	
SPE20650S03		6.5	34	1.2	8	24	36	79	
SPE20650S05		6.5	53	1.2	8	43	36	91	
SPE20660S03		6.6	34	1.2	8	24	36	79	
SPE20660S05		6.6	53	1.2	8	43	36	91	
SPE20670S03		6.7	34	1.2	8	24	36	79	
SPE20670S05		6.7	53	1.2	8	43	36	91	
SPE20680S03		6.8	34	1.2	8	24	36	79	
SPE20680S05		6.8	53	1.2	8	43	36	91	
SPE20690S03		6.9	34	1.3	8	24	36	79	
SPE20690S05		6.9	53	1.3	8	43	36	91	
SPE20700S03		7	34	1.3	8	24	36	79	
SPE20700S05		7	53	1.3	8	43	36	91	
SPE20710S03		7.1	41	1.3	8	29	36	79	
SPE20710S05		7.1	53	1.3	8	43	36	91	
SPE20720S03		7.2	41	1.3	8	29	36	79	
SPE20720S05		7.2	53	1.3	8	43	36	91	
SPE20730S03		7.3	41	1.3	8	29	36	79	
SPE20730S05		7.3	53	1.3	8	43	36	91	
SPE20740S03		7.4	41	1.3	8	29	36	79	
SPE20740S05		7.4	53	1.3	8	43	36	91	
SPE20750S03		7.5	41	1.4	8	29	36	79	
SPE20750S05		7.5	53	1.4	8	43	36	91	
SPE20760S03		7.6	41	1.4	8	29	36	79	
SPE20760S05		7.6	53	1.4	8	43	36	91	

※ 請接下頁。 ※ Continued on next page.

SPE20 鎢鋼鑽頭
Carbide Drill



新規格上市
New Specification Arrival


產品型號 Model No	在庫 Stock	切削直徑 DC	排屑槽長度 LCF	頂端至肩部尺寸差 PL	柄部直徑 DCON	可使用長度 LU	刀柄長度 LS	全長 OAL	價格 Price
SPE20770S03		7.7	41	1.4	8	29	36	79	
SPE20770S05		7.7	53	1.4	8	43	36	91	
SPE20780S03		7.8	41	1.4	8	29	36	79	
SPE20780S05		7.8	53	1.4	8	43	36	91	
SPE20790S03		7.9	41	1.4	8	29	36	79	
SPE20790S05		7.9	53	1.4	8	43	36	91	
SPE20800S03		8	41	1.5	8	29	36	79	
SPE20800S05		8	53	1.5	8	43	36	91	
SPE20810S03		8.1	47	1.5	10	35	40	89	
SPE20810S05		8.1	61	1.5	10	49	40	103	
SPE20820S03		8.2	47	1.5	10	35	40	89	
SPE20820S05		8.2	61	1.5	10	49	40	103	
SPE20830S03		8.3	47	1.5	10	35	40	89	
SPE20830S05		8.3	61	1.5	10	49	40	103	
SPE20840S03		8.4	47	1.5	10	35	40	89	
SPE20840S05		8.4	61	1.5	10	49	40	103	
SPE20850S03		8.5	47	1.5	10	35	40	89	
SPE20850S05		8.5	61	1.5	10	49	40	103	
SPE20860S03		8.6	47	1.6	10	35	40	89	
SPE20860S05		8.6	61	1.6	10	49	40	103	
SPE20870S03		8.7	47	1.6	10	35	40	89	
SPE20870S05		8.7	61	1.6	10	49	40	103	
SPE20880S03		8.8	47	1.6	10	35	40	89	
SPE20880S05		8.8	61	1.6	10	49	40	103	
SPE20890S03		8.9	47	1.6	10	35	40	89	
SPE20890S05		8.9	61	1.6	10	49	40	103	
SPE20900S03		9	47	1.6	10	35	40	89	
SPE20900S05		9	61	1.6	10	49	40	103	
SPE20910S03		9.1	47	1.7	10	35	40	89	
SPE20910S05		9.1	61	1.7	10	49	40	103	
SPE20920S03		9.2	47	1.7	10	35	40	89	
SPE20920S05		9.2	61	1.7	10	49	40	103	
SPE20930S03		9.3	47	1.7	10	35	40	89	

※ 請接下頁。 ※ Continued on next page.

產品型號 Model No	在庫 Stock	切削直徑 DC	排屑槽長度 LCF	頂端至肩部尺寸差 PL	柄部直徑 DCON	可使用長度 LU	刀柄長度 LS	全長 OAL	價格 Price
SPE20930S05		9.3	61	1.7	10	49	40	103	
SPE20940S03		9.4	47	1.7	10	35	40	89	
SPE20940S05		9.4	61	1.7	10	49	40	103	
SPE20950S03		9.5	47	1.7	10	35	40	89	
SPE20950S05		9.5	61	1.7	10	49	40	103	
SPE20960S03		9.6	47	1.7	10	35	40	89	
SPE20960S05		9.6	61	1.7	10	49	40	103	
SPE20970S03		9.7	61	1.8	10	35	40	89	
SPE20970S05		9.7	61	1.8	10	49	40	103	
SPE20980S03		9.8	47	1.8	10	35	40	89	
SPE20980S05		9.8	61	1.8	10	49	40	103	
SPE20990S03		9.9	47	1.8	10	35	40	89	
SPE20990S05		9.9	61	1.8	10	49	40	103	
SPE21000S03		10	47	1.8	10	35	40	89	
SPE21000S05		10	61	1.8	10	49	40	103	
SPE21010S03		10.1	55	1.8	12	40	45	102	
SPE21010S05		10.1	71	1.8	12	56	45	118	
SPE21020S03		10.2	55	1.9	12	40	45	102	
SPE21020S05		10.2	71	1.9	12	56	45	118	
SPE21030S03		10.3	55	1.9	12	40	45	102	
SPE21030S05		10.3	71	1.9	12	56	45	118	
SPE21040S03		10.4	55	1.9	12	40	45	102	
SPE21040S05		10.4	71	1.9	12	56	45	118	
SPE21050S03		10.5	55	1.9	12	40	45	102	
SPE21050S05		10.5	71	1.9	12	56	45	118	
SPE21060S03		10.6	55	1.9	12	40	45	102	
SPE21060S05		10.6	71	1.9	12	56	45	118	
SPE21070S03		10.7	55	1.9	12	40	45	102	
SPE21070S05		10.7	71	1.9	12	56	45	118	
SPE21080S03		10.8	55	2	12	40	45	102	
SPE21080S05		10.8	71	2	12	56	45	118	
SPE21090S03		10.9	55	2	12	40	45	102	
SPE21090S05		10.9	71	2	12	56	45	118	
SPE21100S03	●	11	55	2	12	40	45	102	
SPE21100S05		11	71	2	12	56	45	118	
SPE21110S03		11.1	55	2	12	40	45	102	
SPE21110S05		11.1	71	2	12	56	45	118	
SPE21120S03		11.2	55	2	12	40	45	102	
SPE21120S05		11.2	71	2	12	56	45	118	
SPE21130S03		11.3	55	2.1	12	40	45	102	
SPE21130S05		11.3	71	2.1	12	56	45	118	
SPE21140S03		11.4	55	2.1	12	40	45	102	

※ 請接下頁。 ※ Continued on next page.

SPE20 鎢鋼鑽頭
Carbide Drill



新規格上市
New Specification Arrival

產品型號 Model No	在庫 Stock	切削直徑 DC	排屑槽長度 LCF	頂端至肩部尺寸差 PL	柄部直徑 DCON	可使用長度 LU	刀柄長度 LS	全長 OAL	價格 Price
SPE21140S05		11.4	71	2.1	12	56	45	118	
SPE21150S03		11.5	55	2.1	12	40	45	102	
SPE21150S05		11.5	71	2.1	12	56	45	118	
SPE21160S03		11.6	55	2.1	12	40	45	102	
SPE21160S05		11.6	71	2.1	12	56	45	118	
SPE21170S03		11.7	55	2.1	12	40	45	102	
SPE21170S05		11.7	71	2.1	12	56	45	118	
SPE21180S03		11.8	55	2.1	12	40	45	102	
SPE21180S05		11.8	71	2.1	12	56	45	118	
SPE21190S03		11.9	55	2.2	12	40	45	102	
SPE21190S05		11.9	71	2.2	12	56	45	118	
SPE21200S03		12	55	2.2	12	40	45	102	
SPE21200S05		12	71	2.2	12	56	45	118	